



## Submarine Manufacturing & Products Limited

+44 (0)1772 687775   info@smp-ltd.co.uk   www.smp-ltd.com  
Blackpool Road, Newton, Preston, Lancashire, United Kingdom PR4 3RE

### PRODUCT DATASHEET

#### Subsalve USA Commercial Lift Bag

---



#### THIS PRODUCT HAS THE FOLLOWING OPTIONS:

**Subsalve Commercial 100 Lift Bag (50KG)**

**Subsalve Commercial 200 Lift Bag (100KG)**

**Subsalve Commercial 500 Lift Bag (250KG)**

---

#### OVERVIEW

Subsalve Commercial Lift Bags are especially suited for remote locations or for deployment from small craft and are



## Submarine Manufacturing & Products Limited

+44 (0)1772 687775   info@smp-ltd.co.uk   www.smp-ltd.com  
Blackpool Road, Newton, Preston, Lancashire, United Kingdom PR4 3RE

capable of being used by a single diver. All Subsvalve Lift bags meet IMCA (International Marine Contractor's Association) standard

### DESCRIPTION

Proprietary SUBSALVE USA Plunger Dump Valve allows air control with a push of a button at the top of the bag and a lanyard at the bottom vent air from above, beside, or below the lifting bag to achieve desired ascent rate. 1/4" NPT inflation port for remote filling, multiple bag manifolding, or to install optional stainless steel quick disconnect. Ready for immediate use factory-equipped with all necessary hardware

### FEATURES

- Light salvage
- Object recovery
- Underwater construction
- Scientific research
- Fraction of the cost of a barge or crane
- Easy for a single diver to use
- Especially suited for remote locations
- Deployable from small craft
- Urethane-coated nylon high-strength and heavy-duty
- Superior abrasion resistance
- Resistant to most petro-chemicals
- UV-resistant
- Low maintenance requirements and easy to clean
- RF welded seams

---

### SPECIFICATION

Commercial Diving Lift Bags (open bottom)

#### **C-100**



Lift Capacity - 120 lbs (55 kg)  
Diameter - 1 ft. 4 in. (0.41 m)  
Length - 2 ft. 6 in. (0.77 m)  
Over All Weight - 5 lbs (2.27 kg)

#### **C-200**

Lift Capacity - 220 lbs (100 kg)  
Diameter - 1 ft. 10 in. (0.56 m)



## Submarine Manufacturing & Products Limited

 +44 (0)1772 687775  [info@smp-ltd.co.uk](mailto:info@smp-ltd.co.uk)  [www.smp-ltd.com](http://www.smp-ltd.com)  
Blackpool Road, Newton, Preston, Lancashire, United Kingdom PR4 3RE

Length - 3 ft. (0.92 m)  
Over All Weight - 7 lbs (3.18 kg)

### C-500

Lift Capacity - 550 lbs (250 kg)  
Diameter - 2 ft. 5 in. (0.74 m)  
Length - 3 ft. 7 in. (1.07 m)  
Over All Weight - 12 lbs (5.kg)

---

### ORDER THIS PRODUCT

To order this product or to request a price contact our UK sales team on  
**+44 (0)1772 687775**

Alternatively you can place a quote request through our website  
[http://www.smp-ltd.co.uk/](http://www.smp-ltd.co.uk) or send an email to [sales@smp-ltd.co.uk](mailto:sales@smp-ltd.co.uk)