



## Submarine Manufacturing & Products Limited

+44 (0)1772 687775 info@smp-ltd.co.uk www.smp-ltd.com  
Blackpool Road, Newton, Preston, Lancashire, United Kingdom PR4 3RE

### PRODUCT DATASHEET

#### 2 Diver HP/LP Control Panel In a Pelicase



#### THIS PRODUCT HAS THE FOLLOWING OPTIONS:

No product options are available.

#### OVERVIEW

The SMP Diver HP/LP Panel provides a means of supplying breathing air for one diver and continuously monitors the diver depth to a maximum of 50m.



## Submarine Manufacturing & Products Limited

+44 (0)1772 687775   info@smp-ltd.co.uk   www.smp-ltd.com  
Blackpool Road, Newton, Preston, Lancashire, United Kingdom PR4 3RE

### DESCRIPTION

The SMP 2 Diver HP/LP Panel provides a means of independently supplying breathing air to two divers and continuously monitors the two divers' depths to a maximum of 50m. The panel has a compact light design built into a robust Copolymer Polypropylene IP67 rated case providing protection from environmental and operational factors. The panel includes 4 HP air inlets and 2 LP air inlets, the former of which are regulated down to provide a secondary means of supplying each diver with air.

**This system is CE certified and manufactured to a standard of quality that reflects the "value of life".**

### FEATURES

**Capacity:** 2 Divers

**Diving Gas:** Air

**Max Depth:** 50 metres

**Inlet Connections:** 4 x HP Air Inlet (1/4" Female NPT) MAWP 300 Bar. 2 x LP Air Inlet (3/8" Female NPT) MAWP 21 Bar

**Outlet Connections:** 2 x LP Diver Air Outlet (3/8" Female NPT) MAWP 21 Bar. 2 x Pneumo Air Outlet (1/4" Female NPT)

**Pipe Fittings:** Combination of brass and steel fittings

**Weight:** Approx 25kg

**Dimensions:** L 527mm x W 800mm x D 292mm

---

### SPECIFICATION

The SMP 2 Diver HP/LP Panel provides a means of independently supplying breathing air to two divers and continuously monitors the two divers' depths to a maximum of 50m. The panel has a compact light design built into a robust Copolymer Polypropylene IP67 rated case providing protection from environmental and operational factors. The panel includes 4 HP air inlets and 2 LP air inlets, the former of which are regulated down to provide a secondary means of supplying each diver with air.

Designed and manufactured in accordance to HSE guidelines, BSI quality standards & CE approvals. Testing and



## Submarine Manufacturing & Products Limited

 +44 (0)1772 687775  [info@smp-ltd.co.uk](mailto:info@smp-ltd.co.uk)  [www.smp-ltd.com](http://www.smp-ltd.com)

Blackpool Road, Newton, Preston, Lancashire, United Kingdom PR4 3RE

certification in accordance with IMCA D018.

---

### ORDER THIS PRODUCT

To order this product or to request a price contact our UK sales team on  
**+44 (0)1772 687775**

Alternatively you can place a quote request through our website  
[http://www.smp-ltd.co.uk/](http://www.smp-ltd.co.uk) or send an email to [sales@smp-ltd.co.uk](mailto:sales@smp-ltd.co.uk)