



Submarine Manufacturing & Products Limited

+44 (0)1772 687775 info@smp-ltd.co.uk www.smp-ltd.com
Blackpool Road, Newton, Preston, Lancashire, United Kingdom PR4 3RE

PRODUCT DATASHEET

Northern Diver Hot Water Suit



THIS PRODUCT HAS THE FOLLOWING OPTIONS:

No product options are available.

OVERVIEW

Developed over the past 20 years - The suit is based around a unique heavy anodized aluminium water distribution valve with its unique 360 degree stainless steel quick-connector.

DESCRIPTION



Submarine Manufacturing & Products Limited

 +44 (0)1772 687775  info@smp-ltd.co.uk  www.smp-ltd.com
Blackpool Road, Newton, Preston, Lancashire, United Kingdom PR4 3RE

The hotwater suit has been developed over the past 20 years. The suit is based around a unique heavy anodized aluminium water distribution valve, with its unique 360 degree stainless steel quick connector. The water flows along an anti-kink rubber pipe profile, designed by, and unique to, Northern Diver.

The pipes are held in place by a padded neoprene cover for comfort. All pipe runs are directed for comfort during those long bell runs.

The arms and legs can be trimmed to length and the pipe passed backwards through the ladder hole adjusters. There is the facility on the pipe, for the front chest and back neck, to take a hot water feed to the mask to heat the face plate. The suit is supplied with a 1/4" inline double-barb plastic connector.

The shell body is constructed from high grade non-shrink neoprene with a high rubber solids content, lined on the outside with a durable Swiss pique canvas fabric.

FEATURES

Tested: Tested under the Balmoral UK platform, North Sea at 355 metres depth

Climate Control: Diver climate control system

Reinforced: Polymer reinforced knee and shin pads. This and the adjacent polymer reinforced embossing which circles the legs in the calf area is ideal for duct taping boots or socks to the suit.

Pockets and Attachments: Two deep pockets with drain holes and equipment attachment eyelets.

Knife: Right pocket has a small safety knife 80mm blade in a webbing sheath with bungee cord retaining lanyard.

Heavy Duty: Suit closure is by a heavy-duty Vislon YKK zip

Neoprene: Wrap-over neoprene neck with fleece lining

ID Badge: Supplied with one ID badge which is secured to the suit with velcro. Spare tags are available on request.

Epaulettes: Neoprene shoulder epaulettes can be used as shoulder harness retainers which prevent your harness from slipping off your shoulders.

Reflective Strips: Light reflective strips on upper arms

Glove Attachment: Plastic embossed elbow area which continues round the arm, which is ideal for duct taping gloves to the suit. Wrist area has two pieces of diagonal velcro for glove attachment.

Valves: Anodised aluminium water distribution valve with 360° stainless steel swivel connector. When valve is not feeding the suit it dumps to the rear via control knob.

Comfort: Featuring new flat pipe technology for additional comfort and a improved flow rate of 20%.



Submarine Manufacturing & Products Limited



+44 (0)1772 687775



info@smp-ltd.co.uk



www.smp-ltd.com

Blackpool Road, Newton, Preston, Lancashire, United Kingdom PR4 3RE

Approved: CE approved suit for use in excess of 50 metres depth

ORDER THIS PRODUCT

To order this product or to request a price contact our UK sales team on
+44 (0)1772 687775

Alternatively you can place a quote request through our website
<http://www.smp-ltd.co.uk> or send an email to sales@smp-ltd.co.uk