



Submarine Manufacturing & Products Limited



+44 (0)1772 687775



info@smp-ltd.co.uk



www.smp-ltd.com

Blackpool Road, Newton, Preston, Lancashire, United Kingdom PR4 3RE

PRODUCT DATASHEET

Caviblaster 1620



THIS PRODUCT HAS THE FOLLOWING OPTIONS:

Electric Model 50 Hz

Electric Model 60 Hz

Diesel Model

OVERVIEW

The system is based on the principles of cavitation when collapsing bubbles generated by a proprietary system create a



Submarine Manufacturing & Products Limited

+44 (0)1772 687775 info@smp-ltd.co.uk www.smp-ltd.com
Blackpool Road, Newton, Preston, Lancashire, United Kingdom PR4 3RE

vacuum that quickly and safely removes fouling materials.

FEATURES

0

SPECIFICATION

SKID

Dimensions: Height 64"/ 163 cm, Width 55"/ 140 cm, Length 62"/ 157 cm

Weight: 2400 Lbs 1.100 Kg

Fuel/Oil Containment Pan: Yes

Lifting Eyes / Forklift Slots: Yes/Yes

PUMP SYSTEM

Pressure Pump: CAT Pumps Model 3560

Pump Type - Manifold Material: Triplex plunger - Stainless Steel

Flow Rate: 20 Gpm 76 Lpm

Nozzle Pressure: 3700 PSI / 255 Bar

Hose Diameter - Max. Length: 34 - 600 LF / 200 M

FEED SYSTEM



Engine: Kubota V3600

Engine Type: 4-cylinder liquid-cooled

Intake System: Naturally aspirated



Submarine Manufacturing & Products Limited

 +44 (0)1772 687775  info@smp-ltd.co.uk  www.smp-ltd.com
Blackpool Road, Newton, Preston, Lancashire, United Kingdom PR4 3RE

Combustion System: Indirect fuel injection

Power Output - Maximum: 67 HP 50 kW

Power Output - Continuous: 53 HP 40 kW

Clutch Type: Power take-off (PTO)

Starting System: Air

Emergency Shut-offs - Automatic: Low oil pressure / High oil temperature / High coolant temperature

Emergency Shut-off - Manual: Engine air intake

ORDER THIS PRODUCT

To order this product or to request a price contract our UK sales team on
+44 (0)1772 687775

Alternatively you can place a quote request through our website
[http://www.smp-ltd.co.uk/](http://www.smp-ltd.co.uk) or send an email to sales@smp-ltd.co.uk