



Submarine Manufacturing & Products Limited

+44 (0)1772 687775 info@smp-ltd.co.uk www.smp-ltd.com
Blackpool Road, Newton, Preston, Lancashire, United Kingdom PR4 3RE

PRODUCT DATASHEET

Coltri MCH 6 Silent Compressor



THIS PRODUCT HAS THE FOLLOWING OPTIONS:

- SC000145 - 50Hz Single Phase Electric Motor
 - SC000146 - 50Hz Single Phase Electric Motor
 - SC000148 - Three Phase Electric Motor
 - HC010330 - Honda Petrol Engine
-

OVERVIEW



Submarine Manufacturing & Products Limited

+44 (0)1772 687775 info@smp-ltd.co.uk www.smp-ltd.com
Blackpool Road, Newton, Preston, Lancashire, United Kingdom PR4 3RE

With the same performance of every model equipped with the MCH 6 pumping unit, the Coltri breathable air compressors of the SILENT series are extremely silent and the large space offered by the frame allows the use of a filter system with Maxifilter.

Available with single-phase, three-phase electric drive or Honda Petrol Engine and integrated control panel with hour meter, they have as standard the automatic condensate drain and the autostop. The equipment includes a filling connection for flexible tube with operating pressure from 232 to 300 bar.

Models available: -

SC000145 - 50Hz Single Phase Electric Motor
SC000146 - 50Hz Single Phase Electric Motor
SC000148 - Three Phase Electric Motor
HC010330 - Honda Petrol Engine

DESCRIPTION

With the same performance of every model equipped with the MCH 6 pumping unit, the Coltri breathable air compressors of the SILENT series are extremely silent and the large space offered by the frame allows the use of a filter system with Maxifilter.

Available with single-phase, three-phase electric drive or Honda Petrol Engine and integrated control panel with hour meter, they have as standard the automatic condensate drain and the autostop. The equipment includes a filling connection for flexible tube with operating pressure from 232 to 300 bar.

Models available: -

SC000145 - 50Hz Single Phase Electric Motor
SC000146 - 50Hz Single Phase Electric Motor
SC000148 - Three Phase Electric Motor
HC010330 - Honda Petrol Engine

FEATURES

SPECIFICATION

Pumping Group Capacity 100 l/m - 6,00 m³/h - 3.53 CFM FAD



Filling Time: 20 min.

Operating Pressure: 232 - 330 bar 3365 - 4786 PSIG

Net weight: 84,9 kg



Submarine Manufacturing & Products Limited

 +44 (0)1772 687775  info@smp-ltd.co.uk  www.smp-ltd.com
Blackpool Road, Newton, Preston, Lancashire, United Kingdom PR4 3RE

Noise Level: 66 db
Height : 1100 mm
Width : 715 mm
Depth : 670 mm

ORDER THIS PRODUCT

To order this product or to request a price contact our UK sales team on
+44 (0)1772 687775

Alternatively you can place a quote request through our website
<http://www.smp-ltd.co.uk/> or send an email to sales@smp-ltd.co.uk